

What is Claims is
~~Patent Claims~~

a
Sub
A4

1. A method for generating a group of page files formatted in a page markup language (HTML), for storage in a data server device (server) of a data networking system (Internet/Intranet) through which the page files can be addressed by a multiplicity of DP user systems (DV1,...,DVn) and can be transferred to them,
- a data record-structured author file being drawn up on a DP authoring system (AUTS) which can be connected to the data server device (server) via a data transmission line (DL), in which author file text and graphic information can be edited within a respective data record and reference information (title) about data records of data record-structured files which can be addressed in the DP authoring system (AUTS) can be added,
 - the author file being sent to a format generator device (HTML-GEN) of the DP authoring system (AUTS), by which an associated page file is in each case generated in the page markup language (HTML) from the data records of the author file and from the data records which belong to the data record-structured files and are marked by reference information (title), a page markup language-specific link control address (HTML link) addressing the page file associated with the marked data record being generated in each case from reference information (title) added to the data records and being stored in the page file associated with the data record containing the reference information (title),
 - the page files generated in this way and provided with page markup language-specific link control addresses (HTML link) being transmitted to the data server device (server) via the data transmission line (DL).
2. The method as claimed in claim 1,

09344207.0274E60

wherein reference information (title) about other data records of data record-structured files which can be addressed in the DP authoring system (AUTS) can be added to data records of the data record-structured files which can be addressed in the DP authoring system (AUTS).

3. The method as claimed in claim 1 or 2, wherein reference information (title) about other data records of the data record-structured author file can be added to data records of the data record-structured author file.

4. The method as claimed in one of the preceding claims, wherein the author file is a data record-structured file which can already be addressed in the DP authoring system (AUTS).

5. The method as claimed in one of the preceding claims, wherein an item of reference information (title) about files structured free of data records which can be addressed in the DP authoring system (AUTS) can be added.

6. The method as claimed in one of the preceding claims, wherein the information stored in data record-structured files is subdivided into information modules to which at least one individual structure address is assigned, wherein each information module is stored together with its individual structure address in a respective data record, and wherein an item of reference information about a data record of a reference file is added in that, by means of visualization of the structure addresses filed in the reference file, it is possible to make a selection of one of the structure addresses.

09341207-070799

7. The method as claimed in one of the preceding claims, wherein when selecting a data record already stored in the data server device as a page file, a page markup language-specific link control address (HTML link) addressing this page file is generated and is temporarily stored in a data field of the data record holding the reference information (title).

8. The method as claimed in one of the preceding claims, wherein the structure address is an item of text information (title) or an item of numerical information (index).

9. The method as claimed in one of the preceding claims, wherein a data record-structured file in the DP authoring system (AUTS) can be addressed only if the page files assigned to its data records are already stored in the data server device (server), and wherein a page file is transmitted only if it is not yet stored or a change has been made to its information content, in particular of link control addresses (HTML link).

10. The method as claimed in one of the preceding claims, wherein the stored page files (SD1,...,SDm) are displayed in the DP user systems (DV1,...,DVn) with navigation control fields which allow leafing through the group of page files to the logically next or preceding page file while avoiding activation of corresponding forward functions of a page access device (browser).

09344202.070799